



Portable Evaporative Cooling Fans

3314 West Main Houston, TX 77098
888.827.1675 info@coolazone.com



GSA Service Co, Military/Government Manufacturer's Rep, 1310 E. Maple Ave, Sterling VA 20164 (703) 731-8048
www.gsaservice.com/cool-a-zone_portable_evaporative_cooling_fans.htm

www.coolazone.com


Cool-A-Zone Advantages

- 1/3 smaller in size than most competitors
- Auto shut-off will occur when water level is low to prevent pump burn-out
- Automatic shut-down feature that dries cooling pads before complete shutdown, preventing algae and micro-organism growth on pads. This gives Cool-A-Zone cooling pads a longer life compared to those of other evaporative cooling fans
- Technically advanced digital control panel allows for auto on/off, run-time settings, output temperature control, operating time, fan speed, and low water warning
- Exceptionally low running cost (less than \$1 per day)
- Innovative stainless steel blade design allows for greater cooling from a smaller unit



Cool-A-Zone is a WBE certified company. Make sure to allocate your diversity procurement credits with Cool-A-Zone.

All You Need and More



- From 3 to 5 speed fans depending on model
- Lowers ambient temperature up to 25° F
- Digital operation with auto on/off settings
- Low water warning indicator
- Light-weight and easy-to-move
- Heavy duty caster wheels made of rubber
- Fifth center caster wheel to prevent warping
- No complicated assembly required
- Sleek, sturdy, compact shell that will not sag over time

Applications

- Industrial / Warehousing
- Manufacturing & Fabrication Shops
- Agricultural
- Military
- Sports & Recreation
- Special Outdoor Events
- Restaurants & Bars
- Automotive / Aviation
- Home & Patio
- Emergency & Disaster Relief
- OSHA Compliance



How Cool-A-Zone Compares

| | Cool-A-Zone C300 | Major Competitor 36" | Other Brand 36" |
|----------------------------|------------------------|----------------------|---------------------|
| Fan Blade Material | Stainless Steel | Plastic | Plastic |
| Fan Speed | 3-5 Speed Auto-Control | 1-3 Speed (manual) | 1-3 Speed (manual) |
| Weight | 165 lbs | 238 lbs | 242 lbs |
| Automatic Shutdown / Timer | YES | NO | NO |
| Low Water Sensor Warning | YES | NO | NO |
| Electrical Parts Warranty | 2 Years | 1 Year | 1 Year |
| Output Temperature Display | YES | NO | NO |
| Center 5th Wheel Support | YES | NO | NO |
| Debris Filter Screen | YES | NO | NO |
| Water Level Gauge | YES | NO | NO |
| Size | 42" x 26" x 67" | 62" x 32" x 67" | 61.5" x 32.5" x 63" |

Cool-A-Zone manufactures a product that is best in class, built smarter and designed to meet your needs. Contact Cool-A-Zone today and get your hands on the world's best portable evaporative cooling fan.

Cool-A-Zone • 3314 West Main • Houston, TX 77098 • www.coolazone.com
info@coolazone.com • 888.827.1675

www.coolazone.com



C-400

Three Speeds

| | |
|----------------------------|------------------------------|
| Cooling Capacity | 4,000 sq. ft. |
| Maximum Air Delivery | 15,000 CFM |
| Fan Motor | 1 HP / 110 V - 1 HP / 220V |
| Pump | 0.3 HP / 110V - 0.3HP / 220V |
| Water Reservoir | 37 gallons |
| Width | 56 in. / 142 cm |
| Height | 77 in. / 195 cm |
| Depth | 31 in. / 80 cm |
| Unit Weight | 249 lbs. / 113 kg |
| Shipping Weight | 282 lbs / 128 kg |
| Est. Units (40' Container) | 23 |

C-300

Five Speeds

| | |
|----------------------------|--------------------------------|
| Cooling Capacity | 2,500 sq. ft. |
| Maximum Air Delivery | 10,000 CFM |
| Fan Motor | 1/2 HP / 110 V - 1/2 HP / 220V |
| Pump | 0.3 HP / 110V - 0.3HP / 220V |
| Water Reservoir | 23 gallons |
| Width | 42 in. / 107 cm |
| Height | 67 in. / 170 cm |
| Depth | 26 in. / 66 cm |
| Unit Weight | 165 lbs. / 75 kg |
| Shipping Weight | 178 lbs / 81 kg |
| Est. Units (40' Container) | 50 |

C-200

Three Speeds

| | |
|----------------------------|--------------------------------|
| Cooling Capacity | 2,000 sq. ft. |
| Maximum Air Delivery | 7,500 CFM |
| Fan Motor | 1/3 HP / 110 V - 1/3 HP / 220V |
| Pump | 0.3 HP / 110V - 0.3HP / 220V |
| Water Reservoir | 15 gallons |
| Width | 32 in. / 82 cm |
| Height | 51 in. / 130 cm |
| Depth | 21 in. / 53 cm |
| Unit Weight | 122 lbs. / 55 kg |
| Shipping Weight | 132 lbs / 60 kg |
| Est. Units (40' Container) | 104 |

How Cool-A-Zone Works

